	Application No.	Applicant(s)	
	09/873,039	LAL, SANJAY	
Notice of Allowability	Examiner	Art Unit	
	Emerson C Puente	2113	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.  1. This communication is responsive to 6 july 2004.			
2. X The allowed claim(s) is/are <u>1-23 and 31-53 (now 1-46)</u> .			
3. 🔀 The drawings filed on <u>02 June 2001</u> are accepted by the Examiner.			
4.			
Attachment(s)  1. Notice of References Cited (PTO-892)  2. Notice of Draftperson's Patent Drawing Review (PTO-948)  3. Information Disclosure Statements (PTO-1449 or PTO/SB/O Paper No./Mail Date  4. Examiner's Comment Regarding Requirement for Deposit of Biological Material		(PTO-413), te <u>20040630,20040915</u> nent/Comment	

Application/Control Number: 09/873,039

Art Unit: 2113

## **DETAILED ACTION**

## Examiner's Amendment/Comment

Any comments considered necessary by applicant must be submitted no later than the payment of the Issue Fee and, to avoid processing delays, should preferable accompany the Issue Fee. Such submissions should be clearly labeled "Examiner's Amendment/Comment".

An examiner's Amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 C.F.R 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the Issue Fee.

Authorization for this Examiner's Amendment was given in a telephone interview with Daniel De Vos (Reg No. 37,813) on September 17, 2004.

In regards to claim 31, please change "response to generation of the first command" to "response to the exception".

Furthermore, it was recognized that one of the amendments to the first "executing" element of claim 1 was not illustrated in the latest response filed, but was apparent from the Remarks section of that response. The unillustrated amendment replaced "generation of the first command" with "the exception." The unillustrated amendment was discussed with the Applicant who indicated it was an oversight and verified there were no additional unillustrated amendments. The claim was examined as shown in the response with the amendment made.

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Emerson C Puente whose telephone number is (703) 305-8012. The examiner can normally be reached on 8-5 M-F.

Art Unit: 2113

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert W Beausoliel can be reached on (703) 305-9713. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306. The examiner will be moving in October 2004. The examiner number at the new site is (571) 272-3652. The examiner can normally be reached on 8-5 M-F.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 306-5631.

Emerson Puente 9/19/04

ROBERT BEAUSOLIEL
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100